

About Peplink














Cutting-edge provider of wired and wireless SD-WAN

Peplink makes connectivity reliable. Peplink's ecosystem, SpeedFusion technology and SD-WAN routers have been deployed around the world, helping thousands of customers from many industries increase bandwidth, enhance Internet reliability, reduce connectivity cost, or enable new deployment possibilities.






Peplink's Hospitality Connectivity Solution



VIEW



Solutions in Hospitality Connectivity



VIEW



Simple Network Management

Use InControl to monitor your network and manage your devices from a single pane of glass. Save time and energy by applying bulk configurations, apply schedules to Wi-Fi, VLAN, PoE ports, firmware updates and more.



Guest-Ready Wi-Fi

Provide guests with a fully-customized branded Wi-Fi experience. Deliver advertisements and surveys before guests login with email or social media credentials. Apply built-in, self-updating web blocking lists for peace of mind.




SpeedFusion



VIEW WAN Smoothing





Smooth Streaming



WAN Smoothing utilizes intelligent algorithms to fill in connectivity gaps, trading bandwidth for greater connection resiliency. WAN Smoothing minimizes latency and reduces the impact of packet loss.

Always Works

In the event of a WAN disconnection, Hot Failover will transfer your traffic to another connection while maintaining session persistence. This seamless transition means that you won't experience interruptions in your activities.



SpeedFusion

Hot Failover (VIEW)









Datacenter, Headquarters, Large Hotels

Balance SDX Pro

| Modular SD-WAN Router with Edge Computing Capability

Powerful performance, constant connectivity. Use FlexModules to add cable, LTE, 5G, or fiber links. Use it to host applications and cache commonly accessed content to save bandwidth.



Centralized Management



Content Caching, Application Delivery



Power Supply and Input Redundancy



SFP+ Port and FlexModule Port



Reliable, High-Bandwidth Performance







Large Hotels

Balance 380X

Advanced SD-WAN Router for Fixed and Wireless Broadband



Enterprise Grade SD-WAN Router



Speed and Reliability with SpeedFusion



Enhanced Security with Bandwidth Bonding



Port-Based VLAN for Simpler Network Management

Stay online by combining up to 3 connections. Use the FlexModule Mini to add LTE / 5G for even stronger connectivity.



VIEW

Branch Offices, Event Hosting, Small Hotels

Balance 310X

Rugged SD-WAN Router with Multiple Backup Connections

With two cables and up to three cellular links (two via USB), the Balance 310X will keep you connected no matter what. With its fanless design, you can put it anywhere.



pepink balance 310x ------

Network Redundancy



Speed and Reliability with SpeedFusion



Fanless High Temperature Range Design



Port-Based VLAN for Simpler Network Management

Console







Private Villas, Temporary Offices

Balance 20X

| Enterprise Functionality, Small Office Pricing



Wi-Fi Mesh Support



Optional Second Cellular Radio



One-Device Connectivity Solution



Enterprise-Grade Security and Management


With Ethernet, cellular, and built-in Wi-Fi, the Balance 20X is your one-device solution for small scale sites. It supports a wide range of enterprise-grade security and management features.



Connect VoIP Systems and CCTV

SD Switch 24-Port Rugged

| Simplified LAN Management





🥇 Simplify Cabling with PoE



Centralized Management



Uninterrupted Power Delivery



Stay Secure with Separate Guest VLAN







Guest Room and Lobby Wi-Fi

AP One AX

Better Coverage and Speed with Wi-Fi 6



Connect More Devices Faster



Wi-Fi Gateway for IoT Devices



Custom Captive Portal




Bulk Configuration



ΙÔΤ

Enterprise-Grade Fast Roaming

Easily deploy Wi-Fi 6 throughout your buildings. Use InControl to centralize network settings and configure devices in bulk. Seamlessly roam between APs.
























Follow us on

























peplink.com